



Certificate of constancy of performance

0402 - CPR - 195609

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

Glued laminated timber

for use in buildings and bridges

Strength classes GL30c, GL28h, GL28hs, GL28c, GL28cs, GL24h, GL24hsMB and GL30h

Reaction to fire class D-s2, d0

Formaldehyde class E1

Adhesive type I according to EN 301

Spruce (Picea abies) NNE Europe – Durability class 5

Pine (Pinus sylvestris) NNE Europe - Durability class 5

**This certificate includes the manufacture of block glued glulam
produced by**

Martinsons Såg AB

SE-973 80 Bygdsiljum

Sweden

in the manufacturing plants

Martinsons Såg AB, factory 1 and 2, Bygdsiljum, Sweden

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in annex ZA of the standard

EN 14080:2013

under system 1 for the performances set out in this certificate are applied and that

the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on 2007-12-06 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

2015-11-11

**SP Technical Research Institute of Sweden
Certification, Notified Body No. 0402**

Lennart Aronsson
Certification Manager

Leif Lundqvist
Certification officer